



FliteCharts Data Alert 2071

TO: Users of all Garmin aviation products using Canada or North America FliteCharts database
DATE: May 6, 2020
CYCLE: 2005
SUBJECT: Incorrect geo-referencing for approach charts in Canada

DESCRIPTION

The geo-referencing for multiple approach charts in Canada is incorrect. This affects Canada and North America FliteCharts databases for cycle 2005. Affected charts are listed at the end of this alert.

NOTE

This does not affect FliteCharts for Garmin Pilot.

PILOT ACTION

Do not refer to geo-referenced aircraft position on the affected approaches in FliteCharts.

NOTE

Do not maneuver the aircraft based solely upon the geo-referenced aircraft symbol. As indicated in the pilot's guide, geo-referencing is provided for situational awareness only.

Alerts are written for the currently effective cycle and next cycle. It is possible that data from prior cycles is also affected. Garmin recommends using the latest effective data cycle.

RESOLUTION

Geo-referencing of Canada approach procedures will be corrected in the 2006 cycle of the FliteCharts databases. Cycle 2006 FliteCharts databases are effective May 21, 2020 and will be available May 19, 2020.

Garmin requests the flight crew report any observed discrepancies related to database information. These discrepancies could come in the form of an incorrect procedure, incorrectly identified terrain, obstacles, fixes, or any other displayed item used for navigation or communication in the air or on the ground. Go to FlyGarmin.com and select "Aviation Data Error Report."

AFFECTED CHARTS (see all pages)

Airport Identifier	Chart Name
CBD6	RNAV (GNSS) RWY 34 (IAP-3)
CCC2	NDB RWY 15 (IAP-9)
CCC2	RNAV (GNSS) RWY 33 (IAP-3)
CCD4	RNAV (GNSS) RWY 06 (IAP-3A)
CCD4	RNAV (GNSS) RWY 24 (IAP-3B)
CCE4	RNAV (GNSS) RWY 14 (IAP-3A)
CCE4	RNAV (GNSS) RWY 32 (IAP-3B)
CCH4	RNAV (GNSS) RWY 09 (IAP-3A)
CCH4	RNAV (GNSS) RWY 27 (IAP-3B)
CCK4	RNAV (GNSS) RWY 05 (IAP-3A)
CCK4	RNAV (GNSS) RWY 23 (IAP-3B)
CCP2	RNAV (GNSS) RWY 06 (IAP-3A)
CCP2	RNAV (GNSS) RWY 24 (IAP-3B)
CCP4	RNAV (GNSS) RWY 12 (IAP-3A)
CCP4	RNAV (GNSS) RWY 30 (IAP-3B)
CCV4	COPTER VOR/DME 167 (IAP-5)
CCV4	RNAV (GNSS) RWY 08 (IAP-3A)
CCV4	RNAV (GNSS) RWY 26 (IAP-3B)
CCX2	COPTER RNAV (GNSS) 197 (IAP-3A)
CCX2	COPTER RNAV (GNSS) 230 (IAP-3B)
CCX2	COPTER VOR/DME 131 (IAP-5)
CCZ2	RNAV (GNSS) RWY 11 (IAP-3A)
CCZ2	RNAV (GNSS) RWY 29 (IAP-3B)
CCZ3	RNAV (GNSS) RWY 08 (IAP-3A)
CCZ3	RNAV (GNSS) RWY 26 (IAP-3B)
CDA5	RNAV (GNSS) RWY 18 (IAP-3)
CEG8	RNAV (GNSS) RWY 03 (IAP-3A)
CEG8	RNAV (GNSS) RWY 21 (IAP-3C)
CEM3	RNAV (GNSS) RWY 10 (IAP-3A)
CEM3	RNAV (GNSS) RWY 28 (IAP-3B)
CET9	RNAV (GNSS) RWY 11 (IAP-3A)
CET9	RNAV (GNSS) RWY 29 (IAP-3B)
CGS2	RNAV (GNSS) A (TRUE) (IAP-3E)
CGS2	RNAV (GNSS) B (TRUE) (IAP-3G)
CGS2	RNAV (GNSS) RWY 14 TRUE (IAP-3A)
CGS2	RNAV (GNSS) RWY 32 TRUE (IAP-3C)
CHB3	RNAV (GNSS) RWY 01 (TRUE) (IAP-3A)
CHB3	RNAV (GNSS) RWY 19 (TRUE) (IAP-3C)
CHC5	RNAV (GNSS) A (TRUE) (IAP-3A)
CHC5	RNAV (GNSS) B (TRUE) (IAP-3C)
CJA3	RNAV (GNSS) RWY 10 (IAP-3A)

Garmin requests the flight crew report any observed discrepancies related to database information. These discrepancies could come in the form of an incorrect procedure, incorrectly identified terrain, obstacles, fixes, or any other displayed item used for navigation or communication in the air or on the ground. Go to FlyGarmin.com and select "Aviation Data Error Report."

CJA3	RNAV (GNSS) RWY 28 (IAP-3E)
CJL8	RNAV (GNSS) RWY 02 (IAP-3)
CJR3	RNAV (GNSS) RWY 08 (IAP-3A)
CJR3	RNAV (GNSS) RWY 26 (IAP-3B)
CJR3	VOR/DME RWY 17 (IAP-5)
CJV8	RNAV (GNSS) RWY 13 (IAP-3A)
CJV8	RNAV (GNSS) RWY 31 (IAP-3C)
CJW5	RNAV (GNSS) RWY 17 (IAP-3A)
CJW5	RNAV (GNSS) RWY 35 (IAP-3B)
CKZ7	RNAV (GNSS) RWY 09 (IAP-3A)
CKZ7	RNAV (GNSS) RWY 27 (IAP-3B)
CMB2	RNAV (GNSS) RWY 12 (TRUE) (IAP-3A)
CMB2	RNAV (GNSS) RWY 30 (TRUE) (IAP-3B)
CMR2	RNAV (GNSS) RWY 30 (TRUE) (IAP-3D)
CMR2	RNAV (GNSS) X RWY 12 (TRUE) (IAP-3C)
CMR2	RNAV (GNSS) Y RWY 12 (TRUE) (IAP-3B)
CMR2	RNAV (GNSS) Z RWY 12 (TRUE) (IAP-3A)
CNH2	RNAV (GNSS) RWY 12 (IAP-3A)
CNH2	RNAV (GNSS) RWY 30 (IAP-3B)
CSK6	RNAV (GNSS) RWY 09 (TRUE) (IAP-3A)
CSK6	RNAV (GNSS) RWY 27 (TRUE) (IAP-3B)
CVB2	RNAV (GNSS) A (IAP-3C)
CVB2	RNAV (GNSS) RWY 29 (IAP-3A)
CYAV	NDB RWY 31 (IAP-9)
CYAX	RNAV (GNSS) RWY 36 (IAP-3B)
CYAY	RNAV (GNSS) RWY 10 (IAP-3A)
CYAY	RNAV (GNSS) RWY 28 (IAP-3B)
CYAY	VOR/DME A (IAP-5C)
CYAY	VOR/DME RWY 10 (IAP-5A)
CYAY	VOR/DME RWY 28 (IAP-5B)
CYBK	RNAV (GNSS) RWY 16 (TRUE) (IAP-3A)
CYBK	RNAV (GNSS) RWY 34 (TRUE) (IAP-3B)
CYBK	VOR/DME RWY 34 (TRUE) (IAP-5)
CYBQ	RNAV (GNSS) RWY 07 (IAP-3A)
CYBQ	RNAV (GNSS) RWY 25 (IAP-3B)
CYBT	RNAV (GNSS) RWY 03 (IAP-3A)
CYBT	RNAV (GNSS) RWY 21 (IAP-3B)
CYBV	RNAV (GNSS) RWY 09 (IAP-3A)
CYBV	RNAV (GNSS) RWY 27 (IAP-3B)
CYCA	RNAV (GNSS) RWY 08 (IAP-3A)
CYCA	RNAV (GNSS) RWY 26 (IAP-3B)
CYCO	RNAV (GNSS) RWY 12 (TRUE) (IAP-3A)
CYCO	RNAV (GNSS) RWY 30 (TRUE) (IAP-3B)

Garmin requests the flight crew report any observed discrepancies related to database information. These discrepancies could come in the form of an incorrect procedure, incorrectly identified terrain, obstacles, fixes, or any other displayed item used for navigation or communication in the air or on the ground. Go to FlyGarmin.com and select "Aviation Data Error Report."

CYCY	RNAV (GNSS) RWY 02 (TRUE) (IAP-3A)
CYCY	RNAV (GNSS) RWY 20 (TRUE) (IAP-3B)
CYDA	NDB A (IAP-9)
CYDA	RNAV (GNSS) RWY 03 (IAP-3A)
CYDA	RNAV (GNSS) RWY 21 (IAP-3B)
CYDF	ILS RWY 25 (IAP-2)
CYDF	RNAV (GNSS) Z RWY 07 (IAP-3A)
CYDF	RNAV (GNSS) Z RWY 25 (IAP-3C)
CYDF	RNAV (RNP) Y RWY 07 (IAP-3B)
CYDF	RNAV (RNP) Y RWY 25 (IAP-3D)
CYDM	RNAV (GNSS) RWY 09 (IAP-3A)
CYDN	RNAV (GNSS) RWY 14 (IAP-3)
CYDN	VOR/DME RWY 14 (IAP-5)
CYDP	NDB RWY 04 (IAP-9)
CYDP	RNAV (GNSS) RWY 04 (IAP-3A)
CYDP	RNAV (GNSS) RWY 22 (IAP-3B)
CYEK	RNAV (GNSS) Y RWY 15 (TRUE) (IAP-3B)
CYEK	RNAV (GNSS) Y RWY 33 (TRUE) (IAP-3D)
CYEK	RNAV (GNSS) Z RWY 15 TRUE (IAP-3A)
CYEK	RNAV (GNSS) Z RWY 33 TRUE (IAP-3C)
CYEV	ILS RWY 06 (IAP-2)
CYEV	RNAV (GNSS) RWY 06 (IAP-3A)
CYEV	VOR/DME RWY 24 (IAP-5)
CYFB	ILS RWY 34 (IAP-2)
CYFB	RNAV (GNSS) RWY 16 (IAP-3A)
CYFO	NDB RWY 01 (IAP-9A)
CYFO	NDB RWY 19 (IAP-9B)
CYFO	RNAV (GNSS) RWY 01 (IAP-3A)
CYFO	RNAV (GNSS) RWY 19 (IAP-3B)
CYFT	RNAV (GNSS) RWY 09 (IAP-3A)
CYFT	RNAV (GNSS) RWY 27 (IAP-3B)
CYGM	RNAV (GNSS) RWY 15 (IAP-3A)
CYGM	RNAV (GNSS) RWY 33 (IAP-3B)
CYGO	RNAV (GNSS) RWY 14 (IAP-3A)
CYGO	RNAV (GNSS) RWY 32 (IAP-3B)
CYGX	RNAV (GNSS) RWY 05 (IAP-3A)
CYGX	RNAV (GNSS) RWY 23 (IAP-3B)
CYHI	RNAV (GNSS) RWY 06 (TRUE) (IAP-3A)
CYHI	RNAV (GNSS) RWY 24 (TRUE) (IAP-3B)
CYHO	NDB RWY 25 (IAP-9)
CYHO	RNAV (GNSS) RWY 07 (IAP-3A)
CYHO	RNAV (GNSS) RWY 25 (IAP-3B)
CYHY	ILS RWY 32 (IAP-2)

Garmin requests the flight crew report any observed discrepancies related to database information. These discrepancies could come in the form of an incorrect procedure, incorrectly identified terrain, obstacles, fixes, or any other displayed item used for navigation or communication in the air or on the ground. Go to FlyGarmin.com and select "Aviation Data Error Report."

CYHY	VOR/DME RWY 14 (IAP-5)
CYIO	NDB A (TRUE) (GNSS) (IAP-9)
CYIO	RNAV (GNSS) RWY 02 (TRUE) (IAP-3A)
CYIO	RNAV (GNSS) RWY 20 (TRUE) (IAP-3B)
CYIV	RNAV (GNSS) RWY 12 (IAP-3A)
CYIV	RNAV (GNSS) RWY 30 (IAP-3B)
CYJF	RNAV (GNSS) RWY 03 (IAP-3A)
CYJF	RNAV (GNSS) RWY 21 (IAP-3B)
CYLC	RNAV (GNSS) RWY 15 (IAP-3A)
CYLC	RNAV (GNSS) RWY 33 (IAP-3B)
CYLK	RNAV (GNSS) RWY 08 TRUE (IAP-3A)
CYLK	RNAV (GNSS) RWY 26 (TRUE) (IAP-3B)
CYLT	NDB/DME OR NDB RWY 23 TRUE (DND) (IAP-8)
CYLT	RNAV (GNSS) RWY 23 TRUE (DND) (IAP-3)
CYMA	RNAV (GNSS) A (IAP-3A)
CYMA	RNAV (GNSS) B (IAP-3B)
CYNE	NDB A (IAP-9)
CYNE	RNAV (GNSS) RWY 06 (IAP-3A)
CYNE	RNAV (GNSS) RWY 24 (IAP-3B)
CYNN	RNAV (GNSS) RWY 18 (IAP-3A)
CYNN	RNAV (GNSS) RWY 36 (IAP-3C)
CYOA	NDB RWY 02 (TRUE) (IAP-9A)
CYOA	NDB RWY 20 (TRUE) (IAP-9B)
CYOA	RNAV (GNSS) RWY 02 TRUE (IAP-3A)
CYOA	RNAV (GNSS) RWY 20 TRUE (IAP-3B)
CYOC	NDB RWY 22 (IAP-9)
CYOC	RNAV (GNSS) RWY 04 (IAP-3A)
CYOC	RNAV (GNSS) RWY 22 (IAP-3B)
CYOH	RNAV (GNSS) RWY 05 (IAP-3A)
CYOH	RNAV (GNSS) RWY 23 (IAP-3B)
CYOP	RNAV (GNSS) RWY 09 (IAP-3A)
CYOP	RNAV (GNSS) RWY 27 (IAP-3B)
CYPC	RNAV (GNSS) RWY 02 (TRUE) (IAP-3A)
CYPC	RNAV (GNSS) RWY 20 (TRUE) (IAP-3B)
CYPG	ILS RWY 31L (IAP-2)
CYPG	NDB RWY 31L (IAP-9)
CYPG	RNAV (GNSS) RWY 13R (IAP-3A)
CYPG	RNAV (GNSS) RWY 31L (IAP-3B)
CYPG	VOR/DME RWY 13R (IAP-5A)
CYPG	VOR/DME RWY 31L (IAP-5B)
CYQD	RNAV (GNSS) RWY 13 (IAP-3A)
CYQD	RNAV (GNSS) RWY 31 (IAP-3B)
CYQF	NDB/DME RWY 35 (IAP-8)

Garmin requests the flight crew report any observed discrepancies related to database information. These discrepancies could come in the form of an incorrect procedure, incorrectly identified terrain, obstacles, fixes, or any other displayed item used for navigation or communication in the air or on the ground. Go to FlyGarmin.com and select "Aviation Data Error Report."

CYQF	RNAV (GNSS) RWY 17 (IAP-3A)
CYQF	RNAV (GNSS) RWY 35 (IAP-3B)
CYQH	ILS RWY 09 (IAP-2)
CYQH	RNAV (GNSS) RWY 09 (IAP-3A)
CYQH	RNAV (GNSS) RWY 27 (IAP-3B)
CYRA	RNAV (GNSS) RWY 14 (TRUE) (IAP-3A)
CYRA	RNAV (GNSS) RWY 32 (TRUE) (IAP-3B)
CYRB	ILS RWY 35 TRUE (IAP-2)
CYRB	RNAV (GNSS) RWY 17 (TRUE) (IAP-3A)
CYRB	RNAV (GNSS) RWY 35 (TRUE) (IAP-3B)
CYRM	RNAV (GNSS) RWY 13 (IAP-3A)
CYRM	RNAV (GNSS) RWY 31 (IAP-3B)
CYRS	RNAV (GNSS) RWY 09 (IAP-3A)
CYRS	RNAV (GNSS) RWY 27 (IAP-3B)
CYRT	RNAV (GNSS) RWY 13 (TRUE) (IAP-3A)
CYRT	RNAV (GNSS) RWY 31 (TRUE) (IAP-3B)
CYRT	VOR RWY 13 (TRUE) (IAP-6)
CYRT	VOR/DME RWY 31 (TRUE) (IAP-5)
CYST	RNAV (GNSS) RWY 04 (IAP-3A)
CYST	RNAV (GNSS) RWY 22 (IAP-3B)
CYSY	RNAV (GNSS) RWY 08 (TRUE) (IAP-3A)
CYSY	RNAV (GNSS) RWY 26 (TRUE) (IAP-3B)
CYTH	ILS RWY 06 (IAP-2)
CYTH	NDB RWY 24 (IAP-9)
CYTH	RNAV (GNSS) RWY 06 (IAP-3A)
CYTH	RNAV (GNSS) RWY 24 (IAP-3B)
CYUB	RNAV (GNSS) RWY 10 (IAP-3A)
CYUB	RNAV (GNSS) RWY 28 (IAP-3B)
CYUT	RNAV (GNSS) RWY 16 (TRUE) (IAP-3A)
CYUT	RNAV (GNSS) RWY 34 (TRUE) (IAP-3B)
CYUX	RNAV (GNSS) RWY 12 (TRUE) (IAP-3A)
CYUX	RNAV (GNSS) RWY 30 (TRUE) (IAP-3B)
CYVD	RNAV (GNSS) RWY 08 (IAP-3A)
CYVD	RNAV (GNSS) RWY 26 (IAP-3B)
CYVL	RNAV (GNSS) RWY 17 (TRUE) (IAP-3A)
CYVL	RNAV (GNSS) RWY 35 (TRUE) (IAP-3B)
CYVQ	RNAV (GNSS) RWY 10 (IAP-3A)
CYVQ	RNAV (GNSS) RWY 28 (IAP-3B)
CYVQ	VOR/DME RWY 10 (IAP-5A)
CYVQ	VOR/DME RWY 28 (IAP-5B)
CYWE	RNAV (GNSS) RWY 13 (TRUE) (IAP-3A)
CYWE	RNAV (GNSS) RWY 31 (TRUE) (IAP-3B)
CYWG	ILS CAT II Z RWY 36 (IAP-2G)

Garmin requests the flight crew report any observed discrepancies related to database information. These discrepancies could come in the form of an incorrect procedure, incorrectly identified terrain, obstacles, fixes, or any other displayed item used for navigation or communication in the air or on the ground. Go to FlyGarmin.com and select "Aviation Data Error Report."

CYWG	ILS Z RWY 13 (IAP-2A)
CYWG	ILS Z RWY 31 (IAP-2C)
CYWG	ILS Z RWY 36 (IAP-2E)
CYWG	NDB RWY 13 (IAP-9A)
CYWG	NDB RWY 18 (IAP-9B)
CYWG	NDB RWY 31 (IAP-9C)
CYWG	NDB RWY 36 (IAP-9D)
CYWG	RNAV (GNSS) Z RWY 13 (IAP-3A)
CYWG	RNAV (GNSS) Z RWY 18 (IAP-3C)
CYWG	RNAV (GNSS) Z RWY 31 (IAP-3E)
CYWG	RNAV (GNSS) Z RWY 36 (IAP-3G)
CYWG	RNAV (RNP) Y RWY 13 (IAP-3B)
CYWG	RNAV (RNP) Y RWY 18 (IAP-3D)
CYWG	RNAV (RNP) Y RWY 31 (IAP-3F)
CYWG	RNAV (RNP) Y RWY 36 (IAP-3H)
CYWG	VOR/DME RWY 18 (IAP-5A)
CYWG	VOR/DME Z RWY 36 (IAP-5B)
CYWJ	RNAV (GNSS) RWY 08 (IAP-3A)
CYWJ	RNAV (GNSS) RWY 26 (IAP-3B)
CYWK	ILS RWY 36 (IAP-2)
CYWK	RNAV (GNSS) RWY 18 (IAP-3A)
CYWK	RNAV (GNSS) RWY 36 (IAP-3B)
CYWM	RNAV (GNSS) RWY 17 (IAP-3A)
CYWM	RNAV (GNSS) RWY 35 (IAP-3B)
CYXN	RNAV (GNSS) RWY 15 (TRUE) (IAP-3A)
CYXN	RNAV (GNSS) RWY 33 (TRUE) (IAP-3B)
CYXQ	RNAV (GNSS) RWY 14 (IAP-3A)
CYXQ	RNAV (GNSS) RWY 32 (IAP-3B)
CYXY	ILS RWY 32L (IAP-2)
CYXY	NDB/DME RWY 14R (IAP-8)
CYXY	RNAV (GNSS) RWY 14R (IAP-3A)
CYXY	RNAV (GNSS) RWY 32L (IAP-3B)
CYXZ	RNAV (GNSS) A (IAP-3B)
CYXZ	RNAV (GNSS) RWY 03 (IAP-3A)
CYXZ	VOR/DME RWY 21 (IAP-5)
CYYH	RNAV (GNSS) RWY 15 TRUE (IAP-3A)
CYYH	RNAV (GNSS) RWY 33 TRUE (IAP-3B)
CYYL	RNAV (GNSS) RWY 17 (IAP-3A)
CYYL	RNAV (GNSS) RWY 35 (IAP-3B)
CYYQ	ILS RWY 33 (IAP-2)
CYYQ	RNAV (GNSS) RWY 07 (IAP-3A)
CYYQ	RNAV (GNSS) RWY 15 (IAP-3B)
CYYQ	RNAV (GNSS) RWY 25 (IAP-3C)

Garmin requests the flight crew report any observed discrepancies related to database information. These discrepancies could come in the form of an incorrect procedure, incorrectly identified terrain, obstacles, fixes, or any other displayed item used for navigation or communication in the air or on the ground. Go to FlyGarmin.com and select "Aviation Data Error Report."

CYYQ	RNAV (GNSS) RWY 33 (IAP-3D)
CYYQ	VOR RWY 07 (IAP-6)
CYYU	RNAV (GNSS) RWY 17 (IAP-3A)
CYYU	RNAV (GNSS) RWY 35 (IAP-3B)
CYYW	RNAV (GNSS) RWY 12 (IAP-3A)
CYYW	RNAV (GNSS) RWY 30 (IAP-3B)
CYZD	RNAV (GNSS) Y RWY 15 (IAP-3B)
CYZD	RNAV (GNSS) Y RWY 33 (IAP-3D)
CYZD	RNAV (GNSS) Z RWY 15 (IAP-3A)
CYZD	RNAV (GNSS) Z RWY 33 (IAP-3C)
CYZE	NDB A (IAP-9)
CYZE	RNAV (GNSS) RWY 11 (IAP-3A)
CYZE	RNAV (GNSS) RWY 29 (IAP-3B)
CYZF	ILS RWY 34 (IAP-2)
CYZF	RNAV (GNSS) RWY 10 (IAP-3A)
CYZF	RNAV (GNSS) RWY 16 (IAP-3B)
CYZF	RNAV (GNSS) RWY 34 (IAP-3D)
CYZS	NDB RWY 34 (TRUE) (GNSS) (IAP-9)
CYZS	RNAV (GNSS) RWY 16 (TRUE) (IAP-3A)
CYZW	RNAV (GNSS) RWY 09 (IAP-3A)
CYZW	RNAV (GNSS) RWY 27 (IAP-3B)
CZAC	RNAV (GNSS) RWY 10 (IAP-3A)
CZAC	RNAV (GNSS) RWY 28 (IAP-3B)
CZFA	RNAV (GNSS) RWY 09 (IAP-3A)
CZFA	RNAV (GNSS) RWY 27 (IAP-3B)
CZFG	RNAV (GNSS) RWY 15 (IAP-3A)
CZFG	RNAV (GNSS) RWY 33 (IAP-3B)
CZFM	RNAV (GNSS) RWY 12 (IAP-3A)
CZFM	RNAV (GNSS) RWY 30 (IAP-3B)
CZFN	RNAV (GNSS) A (IAP-3B)
CZFN	RNAV (GNSS) RWY 24 (IAP-3A)
CZGI	RNAV (GNSS) RWY 09 (IAP-3A)
CZGI	RNAV (GNSS) RWY 27 (IAP-3B)
CZGR	RNAV (GNSS) RWY 18 (IAP-3A)
CZGR	RNAV (GNSS) RWY 36 (IAP-3B)
CZHP	RNAV (GNSS) RWY 07 (IAP-3A)
CZHP	RNAV (GNSS) RWY 25 (IAP-3B)
CZJG	RNAV (GNSS) RWY 15 (IAP-3A)
CZJG	RNAV (GNSS) RWY 33 (IAP-3B)
CZKE	RNAV (GNSS) RWY 07 (IAP-3A)
CZKE	RNAV (GNSS) RWY 25 (IAP-3B)
CZMD	RNAV (GNSS) RWY 05 (IAP-3A)
CZMD	RNAV (GNSS) RWY 23 (IAP-3B)

Garmin requests the flight crew report any observed discrepancies related to database information. These discrepancies could come in the form of an incorrect procedure, incorrectly identified terrain, obstacles, fixes, or any other displayed item used for navigation or communication in the air or on the ground. Go to FlyGarmin.com and select "Aviation Data Error Report."

CZNG	RNAV (GNSS) RWY 10 (IAP-3A)
CZNG	RNAV (GNSS) RWY 28 (IAP-3B)
CZPB	RNAV (GNSS) RWY 10 (IAP-3A)
CZPB	RNAV (GNSS) RWY 28 (IAP-3B)
CZPC	RNAV (GNSS) RWY 08 (IAP-3A)
CZPC	RNAV (GNSS) RWY 26 (IAP-3B)
CZRJ	RNAV (GNSS) RWY 03 (IAP-3A)
CZRJ	RNAV (GNSS) RWY 21 (IAP-3B)
CZSJ	NDB RWY 29 (IAP-9)
CZSJ	RNAV (GNSS) RWY 11 (IAP-3A)
CZSJ	RNAV (GNSS) RWY 29 (IAP-3B)
CZSN	RNAV (GNSS) RWY 18 (IAP-3A)
CZSN	RNAV (GNSS) RWY 36 (IAP-3B)
CZTM	RNAV (GNSS) RWY 01 (IAP-3A)
CZTM	RNAV (GNSS) RWY 19 (IAP-3B)
CZUM	RNAV (GNSS) RWY 13 (IAP-3A)
CZUM	RNAV (GNSS) RWY 31 (IAP-3B)
CZVL	ILS RWY 26 (IAP-2)
CZVL	RNAV (GNSS) RWY 08 (IAP-3A)
CZVL	RNAV (GNSS) RWY 16 (IAP-3B)
CZVL	RNAV (GNSS) RWY 26 (IAP-3C)
CZVL	RNAV (GNSS) RWY 34 (IAP-3D)
CZWH	RNAV (GNSS) RWY 03 (IAP-3A)
CZWH	RNAV (GNSS) RWY 21 (IAP-3B)

WE STRONGLY URGE THIS INFORMATION BE MADE AVAILABLE TO APPROPRIATE CREW MEMBERS OR CUSTOMERS IMMEDIATELY!

Garmin requests the flight crew report any observed discrepancies related to database information. These discrepancies could come in the form of an incorrect procedure, incorrectly identified terrain, obstacles, fixes, or any other displayed item used for navigation or communication in the air or on the ground. Go to FlyGarmin.com and select "Aviation Data Error Report."